

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: markspencer

Timestamp: [year=2008; month=12; day=8; hr=12; min=8; sec=35; ms=611;]

=====

Application No: 10596520

Version No: 2.0

Input Set:

Output Set:

Started: 2008-12-08 11:11:29.088

Finished: 2008-12-08 11:11:29.584

Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 496 ms

Total Warnings: 7

Total Errors: 0

No. of SeqIDs Defined: 7

Actual SeqID Count: 7

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)

SUBSTITUTE SEQUENCE LISTING

<110> Reineke, Theresa M.
Jones, Walter K.

<120> Polyamides and Polyamide Complexes and Method of Use

<130> 10738-97

<140> 10596520

<141> 2008-12-08

<150> PCT/US2004/042949

<151> 2004-12-20

<150> 60/531,399

<151> 2003-12-19

<150> 60/574,131

<151> 2004-05-25

<160> 7

<170> PatentIn version 3.5

<210> 1

<211> 6

<212> DNA

<213> Unknown

<220>

<223> Source is not specified in the application. The sequence is given as part of an example in the definition of the phrase "random at a position in a preselected sequence."

<400> 1

cttagt

6

<210> 2

<211> 6

<212> DNA

<213> Unknown

<220>

<223> Source is not specified in the application. The sequence is given as part of an example in the definition of the phrase "random at a position in a preselected sequence."

<220>

<221> misc_feature

<222> (4)..(4)

<223> n is randomly selected and can be a, t, c or g.

<400> 2

<210> 3
<211> 10
<212> DNA
<213> Unknown

<220>
<223> Known NF-kB binding sequence.

<220>
<221> misc_feature
<222> (4)..(4)
<223> n is a purine residue

<220>
<221> misc_feature
<222> (5)..(6)
<223> n is any base

<220>
<221> misc_feature
<222> (7)..(8)
<223> n is a pyrimidine residue

<400> 3
gggnnnnncc 10

<210> 4
<211> 20
<212> DNA
<213> Unknown

<220>
<223> Sequence is given as an example of a suitable NF-kB decoy
sequence.

<400> 4
ccttgaaggg atttcctcc 20

<210> 5
<211> 20
<212> DNA
<213> Unknown

<220>
<223> Sequence is given as an example of a suitable NF-kB decoy
sequence.

<400> 5
ggaacttccc taaagggagg 20

<210> 6
<211> 10
<212> DNA
<213> Unknown

<220>

<223> Sequence is given as an example of a suitable NF-kB decoy
sequence.

<400> 6
gggatttccc

10

<210> 7
<211> 22
<212> DNA
<213> Unknown

<220>

<223> Sequence is given as an example of a suitable NF-kB decoy
sequence.

<400> 7
agttgagggg actttcccag gc

22